

# PORTABLE UNITS

## PORTABLE GREASE PACKAGES

06

### NUMBERING SYSTEM

FIRST THREE DIGITS		FOURTH DIGIT			FIFTH DIGIT			SIXTH DIGIT		
Pump Model		Hose Length			Dolly			Filter Regulator Combo with Gauge		
		Enter	Receive		Enter	Receive	Container Size	Enter	Receive	
301	35 lb pail unit, 55:1 PM3 pump w/handle, pail cover, follower plate, 1/4" x 7' hose, Z swivel, control handle	0	877000	7' x 1/4"	1	1301	35 & 120 lb			
402	35 lb. Pail unit, 60:1 PM3+3 pump w/handle, pail cover, follower plate, 1/4" x 7' hose, Z swivel, control handle.	1	872000	10' x 1/4"	2	1302	35 lb	1	955	1/4" for portable
303	120 lb keg unit, 55:1 PM3 pump, keg cover, follower plate, 1/4" x 7' hose, Z swivel, control handle	2	873000	15' x 1/4"	3	1303	120 lb			
305	400 lb drum unit, 55:1 PM3 pump, drum cover, follower plate, 1/4" x 7' hose, Z swivel, control handle	3	874000	20' x 1/4"	4	1304	120 lb			
333	120 lb keg unit, 55:1 PM3+3 pump, keg cover, follower plate, 1/4" x 7' hose, Z swivel, control handle				5	1306	400 lb			
335	400 lb drum unit, 55:1 PM3+3 pump, drum cover, follower plate, 1/4" x 7' hose, Z swivel, control handle				6	1307	400 lb			
					7	1312	120 lb			

### PORTABLE CARTS AND DOLLIES



Model 1301

Model 1303




Model 1302



Model 1304



Model 1305



Model 1306



Model 1312



Model 1307

**Model 1301**  
2 wheel dolly - for 35 and 50 lb. pails and 120 lb. keg

**Model 1302**  
Band type dolly for 35 lb. pail

**Model 1303**  
4 wheel cart - for 120 lb. keg

**Model 1304**  
Band type dolly for 120 lb. keg

**Model 1305**  
Heavy duty 3 wheel platform truck for 400 lb. drum. Swivel wheel with locking brake. Weight capacity 600 lb. (300 kg).

**Model 1306**  
X-frame type dolly for 400 lb. drum

**Model 1307**  
3 wheel truck for 400 lb. drum. Weight capacity 550 lb. (250 kg).

**Model 1312**  
Deluxe portable base for 120 lb. keg


**Model 1399 (not shown)**  
Mounting Plate required to mount hose reel to model 1305 truck


# PORTABLE UNITS


## PORTABLE GREASE PACKAGES


06

### PORTABLE GREASE PUMP PACKAGES

ORDER THIS MODEL NUMBER	RECEIVE THESE ITEMS							
	Model Number	Pump Model	Follower Plate	Hose Length	Z Swivel	Control Handle	Dolly	Filter Regulator
 <p>PM3 35 lb Pail Packages</p>	301 001	301	962	7'	1105	413077	None	1/4"
	301 011	301	962	7'	1105	413077	1301	1/4"
	301 021	301	962	7'	1105	413077	1302	1/4"
	301 101	301	962	10'	1105	413077	None	1/4"
	301 111	301	962	10'	1105	413077	1301	1/4"
	301 121	301	962	10'	1105	413077	1302	1/4"
	301 211	301	962	15'	1105	413077	1301	1/4"
	301 221	301	962	15'	1105	413077	1302	1/4"
	301 311	301	962	20'	1105	413077	1301	1/4"
	301 321	301	962	20'	1105	413077	1302	1/4"

ORDER THIS MODEL NUMBER	RECEIVE THESE ITEMS							
	Model Number	Pump Model	Follower Plate	Hose Length	Z Swivel	Control Handle	Dolly	Filter Regulator
 <p>PM3+3 60:1 35 lb Pail Packages</p>	402 101	402050	962	10'	1105	413077	None	1/4"
	402 111	402050	962	10'	1105	413077	1301	1/4"
	402 121	402050	962	10'	1105	413077	1302	1/4"
	402 201	402050	962	15'	1105	413077	None	1/4"
	402 211	402050	962	15'	1105	413077	1301	1/4"
	402 221	402050	962	15'	1105	413077	1302	1/4"
	402 311	402050	962	20'	1105	413077	1301	1/4"
	402 321	402050	962	20'	1105	413077	1302	1/4"

ORDER THIS MODEL NUMBER	RECEIVE THESE ITEMS							
	Model Number	Pump Model	Follower Plate	Hose Length	Z Swivel	Control Handle	Dolly	Filter Regulator
 <p>PM3 400 lb Packages</p>	305 001	305	966	7'	1105	413077	None	1/4"
	305 051	305	966	7'	1105	413077	1306	1/4"
	305 061	305	966	7'	1105	413077	1307	1/4"
	305 101	305	966	10'	1105	413077	None	1/4"
	305 151	305	966	10'	1105	413077	1306	1/4"
	305 161	305	966	10'	1105	413077	1307	1/4"
	305 201	305	966	15'	1105	413077	None	1/4"
	305 251	305	966	15'	1105	413077	1306	1/4"
	305 261	305	966	15'	1105	413077	1307	1/4"
	305 301	305	966	20'	1105	413077	None	1/4"
	305 351	305	966	20'	1105	413077	1306	1/4"
	305 361	305	966	20'	1105	413077	1307	1/4"


ORDER THIS MODEL NUMBER	RECEIVE THESE ITEMS							
	Model Number	Pump Model	Follower Plate	Hose Length	Z Swivel	Control Handle	Dolly	Filter Regulator
 <p>PM3+3 400 lb Packages</p>	335 001	335	966	7'	1105	413077	None	1/4"
	335 051	335	966	7'	1105	413077	1306	1/4"
	335 061	335	966	7'	1105	413077	1307	1/4"
	335 101	335	966	10'	1105	413077	None	1/4"
	335 151	335	966	10'	1105	413077	1306	1/4"
	335 161	335	966	10'	1105	413077	1307	1/4"
	335 201	335	966	15'	1105	413077	None	1/4"
	335 251	335	966	15'	1105	413077	1306	1/4"
	335 261	335	966	15'	1105	413077	1307	1/4"
	335 301	335	966	20'	1105	413077	None	1/4"
	335 351	335	966	20'	1105	413077	1306	1/4"
	335 361	335	966	20'	1105	413077	1307	1/4"
	311 001	400 lb drum unit on 1305 3 wheel heavy duty cart with 1399 reel mounting plate, 55:1 PM3+3 pump, drum cover, follower plate, 1/4" x 40' hose reel, Z swivel, control handle, 1/4" filter regulator combo with auto drain						


# PORTABLE UNITS

## PORTABLE GREASE PACKAGES

06

### PORTABLE GREASE PUMP PACKAGES

ORDER THIS MODEL NUMBER	RECEIVE THESE ITEMS							
	Model Number	Pump Model	Follower Plate	Hose Length	Z Swivel	Control Handle	Dolly	Filter Regulator
 <p>PM3 120 lb keg packages</p>	303 001	303	964	7'	1105	413077	None	1/4"
	303 011	303	964	7'	1105	413077	1301	1/4"
	303 031	303	964	7'	1105	413077	1303	1/4"
	303 041	303	964	7'	1105	413077	1304	1/4"
	303 071	303	964	7'	1105	413077	1312	1/4"
	303 101	303	964	10'	1105	413077	None	1/4"
	303 111	303	964	10'	1105	413077	1301	1/4"
	303 131	303	964	10'	1105	413077	1303	1/4"
	303 141	303	964	10'	1105	413077	1304	1/4"
	303 171	303	964	10'	1105	413077	1312	1/4"
	303 201	303	964	15'	1105	413077	None	1/4"
	303 211	303	964	15'	1105	413077	1301	1/4"
	303 231	303	964	15'	1105	413077	1303	1/4"
	303 241	303	964	15'	1105	413077	1304	1/4"
	303 271	303	964	15'	1105	413077	1312	1/4"
	303 311	303	964	20'	1105	413077	1301	1/4"
	303 331	303	964	20'	1105	413077	1303	1/4"
	303 341	303	964	20'	1105	413077	1304	1/4"
303 371	303	964	20'	1105	413077	1312	1/4"	

ORDER THIS MODEL NUMBER	RECEIVE THESE ITEMS							
	Model Number	Pump Model	Follower Plate	Hose Length	Z Swivel	Control Handle	Dolly	Filter Regulator
 <p>PM3+3 120 lb Packages</p>	303 001	333	964	7'	1105	413077	None	1/4"
	333 011	333	964	7'	1105	413077	1301	1/4"
	333 031	333	964	7'	1105	413077	1303	1/4"
	333 041	333	964	7'	1105	413077	1304	1/4"
	333 071	333	964	7'	1105	413077	1312	1/4"
	333 101	333	964	10'	1105	413077	None	1/4"
	333 111	333	964	10'	1105	413077	1301	1/4"
	333 131	333	964	10'	1105	413077	1303	1/4"
	333 141	333	964	10'	1105	413077	1304	1/4"
	333 171	333	964	10'	1105	413077	1312	1/4"
	333 201	333	964	15'	1105	413077	None	1/4"
	333 211	333	964	15'	1105	413077	1301	1/4"
	333 231	333	964	15'	1105	413077	1303	1/4"
	333 241	333	964	15'	1105	413077	1304	1/4"
	333 271	333	964	15'	1105	413077	1312	1/4"
	333 311	333	964	20'	1105	413077	1301	1/4"
	333 331	333	964	20'	1105	413077	1303	1/4"
	333 341	333	964	20'	1105	413077	1304	1/4"
333 371	333	964	20'	1105	413077	1312	1/4"	

## PORTABLE UNITS

### HAND OPERATED PUMPS FOR GREASE

06

#### HEAVY DUTY ORIGINAL CONTAINER UNITS



Model 1984

#### Model 1984

Heavy duty hand operated high pressure (5,000 PSI) grease pump unit. Fits 35 lb. pail. Complete with pump, cover, 5' hose, pipe with coupler, carry handle and follower plate.

#### Model 1994 (Not Shown)

Heavy duty hand operated high pressure (5,000 PSI) grease pump unit. Fits 120 lb. keg. Complete with pump, drum cover, 5' hose, pipe with coupler, and follower plate.

#### Model 1988

Heavy duty hand operated filler pump unit. Fits 35 lb. pail. Complete with pump, cover, filler valve, dust cap and follower plate.

#### Model 1989

Heavy duty hand operated filler pump unit. Fits 120 lb. keg. Complete with pump, cover, filler valve, dust cap and follower plate.

#### Model 1991

Heavy duty hand operated bearing packer fits 35 lb. pail. Complete with pump, cover, packer, dust cap and follower plate.

#### Model 1992 (Not Shown)

Heavy duty hand operated bearing packer fits 120 pound keg. Complete with pump, cover, packer, dust cap and follower plate.



Model 1988

Model 1991

#### HEAVY DUTY SELF CONTAINED UNITS



#### Model 1996

High pressure 6,000 PSI lever action grease pump. Oval shaped 4 1/2 gallon steel container with foot rest. Includes 7' grease hose and hydraulic coupler. Adjustable pressure and volume.

#### SPECIAL DISPENSER



#### Model 1999

High pressure 7,000 PSI, foot operated grease pump, spring loaded for heavier greases. Cast iron pump body and precision finished pump mechanism with spring follower plate. Includes air bleeder valve, 7' grease hose, hydraulic coupler and 2 1/2 lb. steel container.

## PORTABLE UNITS

### PORTABLE AIR OPERATED LUBRICANT PACKAGES

06

#### PORTABLE 16 GALLON PACKAGES



201 000

#### All Models include:

- Model 358 120: PM 2 3:1 ratio oil pump with cover mounting adapter
- Model 2065: 3/4" NPT (M) x 1/2" NPT (F) adapter
- Model 846: 5' x 1/2" medium pressure dispense hose
- Model 930: Quick coupler
- Model 931: Quick connector nipple
- Model 955: Air filter/regulator combo unit (not shown)
- Model 1303: Four wheel cart (not shown)

#### Open Top Keg Models

- Model 201 000 - for gear oil with 2163 digital meter and 1936 keg cover.
- Model 203 000 - for ATF with 2165 digital meter and 1936 keg cover.
- Model 205 000 - for oils with 2161 digital meter and 1936 keg cover.

#### Bung Top Keg Models

- Model 201 001 - for gear oil with 2163 digital meter.
- Model 203 001 - for ATF with 2165 digital meter.
- Model 205 001 - for oils with 2161 digital meter.

#### PORTABLE 55 GALLON BUNG MOUNT PACKAGE



#### Model 209 portable 55 gallon bung mount package includes:

- Model 354 120: PM 2 3:1 ratio oil pump with bung mounting adapter
- Model 2065: 3/4" NPTF x 1/2" NPTF adapter
- Model 846: 5' x 1/2" medium pressure dispense hose
- Model 930: Quick coupler
- Model 931: Quick connector nipple
- Model 955: Air filter/regulator combo unit (not shown)
- Model 1307: Three wheel cart (not shown)
- Model 2161: Digital metered control handle with rigid spout

#### SPECIAL PM-2 MOBILE FLUID CADDY FOR 55 GAL. DRUM



#### Model 211 001 fluid caddy includes:

- Model 354 120: PM 2 3:1 ratio oil pump with bung mounting adapter
- Model 2065: 3/4" NPTF x 1/2" NPTF adapter
- Model 846: 5' x 1/2" medium pressure dispense hose
- Model 930: Quick coupler
- Model 931: Quick connector nipple
- Model 955: Air filter/regulator combo unit (not shown)
- Model 1305: Heavy duty 3 wheel platform truck.
- Model 1428: Reels H.D. hose reel 30' x 1/2" med. pressure hose.
- Model 1399: Reel Mounting Plate
- Model 2162: Digital metered control handle with flex 90° spout

#### Model 211-A (Not Shown)

Same as Model 211, except includes deluxe drum cover for 55 gal. open type drum.

## PORTABLE UNITS

### PORTABLE HAND OPERATED PACKAGES: GEAR LUBE, ATF, FLUIDS

06

#### STANDARD DUTY



##### Model 1011

Standard duty hand operated, non-metered, multi-fluid dispenser for 16 gal. open top drum. Includes:

- Model 1000: Hand operated pump with cover mounting adapter.
- Model 1304: Four wheel band dolly.
- Model 1936: Deluxe drum cover for 16 gal. drum.
- Model 731210: 5' fluid hose assembly with curved nozzle.

##### Model 1013 (Not Shown)

Same as Model 1011 except, less Model 1936 drum cover (includes bung bushing).

#### HEAVY DUTY - GEAR LUBE AND ATF



##### Model 1021

H.D. 2:1 ratio hand operated metered gear lube unit for 16 gal. open top drum. Includes:

- Model 1000: Hand operated pump with cover mounting adapter.
- Model 1304: Four wheel band dolly.
- Model 1936: Deluxe drum cover for 16 gal. drum.
- Model 731310: 5' fluid hose assembly with shut off valve.
- Model 1136: Curved outlet nozzle.
- Model 2102: Electronic meter.

Model 1023 (Not shown) Same as 1021 except, less model 2102 meter


##### Model 1022

H.D. 2:1 ratio hand operated metered ATF unit for 16 gal. open top drum. Includes:

- Model 1000: Hand operated pump with cover mounting adapter.
- Model 1304: Four wheel band dolly.
- Model 1936: Deluxe drum cover for 16 gal. drum.
- Model 731310: 5' fluid hose assembly with shut off valve.
- Model 1135: Flex hose outlet.
- Model 2100: Electronic meter.

Model 1024 (Not shown) Same as 1022 except, less model 2100 meter.

#### EXTRA HEAVY DUTY - GEAR LUBE AND ATF



##### Model 1081

Extra heavy duty hand operated metered gear lube unit for 16 gal. open top drum. Adjustable volume and pressure. Includes:

- Model 1008: Hand operated pump with cover mounting adapter.
- Model 1304: Four wheel band dolly.
- Model 1936: Deluxe drum cover for 16 gal. drum.
- Model 731310: 5' fluid hose assembly with shut off valve.
- Model 1136: Curved outlet nozzle.
- Model 2102: Electronic meter.

Model 1083 (Not shown) Same as 1081 except, less model 2102 meter.

##### Model 1082 (Not shown)

Extra heavy duty hand operated metered ATF unit for 16 gal. open top drum. Adjustable volume and pressure. Includes:

- Model 1008: Hand operated pump with cover mounting adapter.
- Model 1304: Four wheel band dolly.
- Model 1936: Deluxe drum cover for 16 gal. drum.
- Model 731310: 5' fluid hose assembly with shut off valve.
- Model 1135: Flex hose outlet.
- Model 2100: Electronic meter.

Model 1084 (Not shown) Same as 1082 except, less model 2100 meter

## PORTABLE UNITS

### PORTABLE HAND OPERATED PACKAGES: GEAR LUBE, ATF, FLUIDS

06

#### PRESSURIZED DISPENSERS



##### Model 1327

Portable air pressurized unit for gear oils and other fluids. No hand pumping required. Ideal for remote services, on the job site, outside the garage, or anywhere an air supply is unavailable. ASME type 20 gallon tank with sight gauge and quick connect air coupler. 5' clear visible dispensing hose. 2162 electronic metered fluid control handle with model 1128 one does all outlet.

##### Model 1322

Same as 1327 except 6 1/2 gallon tank size.

##### Model 1320

Same as 1322 except with non-metered gear lube handle.

#### SELF CONTAINED DISPENSERS



##### Model 3124

Hand operated deluxe 18 gallon portable dispenser with in-line electronic meter.

##### Model 3126

Air operated deluxe 18 gallon portable dispenser with PM 2 3:1 ratio pump and 2162 digital metered handle.

#### HAND-OPERATED GEAR OIL PUMPS



##### Model 1986

Heavy duty hand operated gear lube pump unit. Fits 5 gallon pail. Complete with pump, cover, 5' hose, curved pipe with anti-drip tip.

##### Model 1995

Lever action oil pump. Oval shaped 4 1/2 gallon steel container with foot rest. Solid construction. Includes 5' oil hose and curved nozzle.